

**PART II RULES FOR THE CONSTRUCTION
AND CLASSIFICATION OF SHIPS
IDENTIFIED BY THEIR MISSIONS**

TITLE 111 FIRE-FIGHTING (Fi-Fi)

SECTION 8 NAUTIC AND ELECTRONICS

CHAPTERS

- A APPROACH
- B TECHNICAL DOCUMENTATION
 – See **Part II, Title 11, Section 8**
- C MATERIALS AND MANUFACTURING
 – See **Part II, Title 11, Section 8**
- D BASIC PRINCIPLES FOR INSTALLATION
 – See **Part II, Title 11, Section 8**
- E NAVIGATION AIDS, SIGNALS, AND
 COMMUNICATION
- T TESTS AND INSPECTIONS
 – See **Part II, Title 11, Section 8**

CONTENT

CHAPTER A 4

APPROACH..... 4

 A1. APPLICATION..... 4

 100. *Systems covered* 4

CHAPTER E 4

**EQUIPMENTS OF NAVIGATION, SIGNALLING
AND COMMUNICATION 4**

 E1. NAVIGATIONAL EQUIPEMENT 4

 100. *Application*..... 4

 200. *Searchlights*..... 4

CHAPTER A APPROACH

CHAPTER CONTENTS

A1. APPLICATION

A2. STANDARDS AND REGULATIONS See Part II, Title 11, Section 8

203. The capacity of the searchlights is to be such as to produce a light intensity of 50 lux over an area of at least 11 meters in diameter at a distance of 250 meters, with good visibility conditions.

Rgmm14en-PIIT111S8-ae-00

A1. APPLICATION

100. Systems covered

101. This Part II, Title 49, Section 8 contains additional requirements of the Part II, Title 11, Section 8 and applies to ships with class notation Fi-Fi Class 1, Fi-Fi Class 2 e Fi-Fi Class 3.

CHAPTER E EQUIPMENTS OF NAVIGATION, SIGNALLING AND COMMUNICATION

CHAPTER CONTENTS

E1. NAVIGATION EQUIPMENT

E2. SIGNALLING EQUIPMENT See Part II, Title 11, Section 8

E3. COMMUNICATION EQUIPMENT See Part II, Title 11, Section 8

E4. INTERNAL COMMUNICATIONS See Part II, Title 11, Section 8

E1. NAVIGATIONAL EQUIPEMENT

100. Application

101. This Part II, Title 111, Section 8 contains additional requirements of the Part II, Title 11, Section 8 and applies to ships with class notation Fi-Fi Class 1, Fi-Fi Class 2 and Fi-Fi Class 3.

200. Searchlights

201. For night operations at least two searchlights are to be installed.

202. The searchlights are to be equipped with lamps that do not require maintenance and can be oriented in any direction.